

# MATERIAL SAFETY DATA SHEET

<b>SECTION I. Product Name</b>	
Trade Name: Carbon Black	CHEMICAL NAME: Carbon (Amorphous)
<b>SECTION II. Composition/Information on Components</b>	
Component:	Carbon Black (Amorphous Carbon)
CAS Number:	1333-86-4
Weight, %	100
<b>SECTION III. Hazards for Man and Environment</b>	
<u>POSSIBLE EFFECT ON HEALTH</u>	
EYE:	Carbon black may produce eye irritation.
SKIN CONTACT:	The product is not skin irritant.
INFILTRATION THROUGH SKIN:	Infiltration is not probable, carbon black being a dry solid material.
INGESTION:	Specific effect is not known.
INHALATION:	At high concentrations of carbon black dust (above TLV) inhalation may produce irritation of lungs.
<b>SECTION IV. First AID</b>	
EYE:	Flush with water.
SKIN:	Wash with soap and water.
INGESTION:	Usually no hazardous effect is produced.
INHALATION:	Go out into open air.
<b>SECTION V. Fire Fighting Procedures</b>	
<u>COMBUSTIBILITY</u>	
FLASH POINT:	N/A
INFLAMMABILITY IN AIR:	Carbon black may inflame at temperatures above 250 C.
LOWER EXPLOSIBILITY LIMIT (LEL)	60 mg/cu.m*)
UPPER EXPLOSIBILITY LIMIT (UEL)	N/A
EXTINGUISHING MEDIA:	Atomized jet of water.
UNUSUAL FIRE HAZARDS:	Carbon monoxide and carbon dioxide are generated during combustion of carbon black. The product burns (smolders) without flame, therefore in some cases combustion of carbon black cannot be detected, unless the product is stirred and sparks are produced.
HAZARDS OF DUST EXPLOSION:	Carbon black does not explode easily, so it is not considered hazardous in practical applications. However, in certain test conditions mixture of carbon black dust and air may explode.
*) Reported data on LEL differ. We take the value from The Handbook of Powder Technology, ed. by P.Field, v.4, as being the lowest in literature.	
<b>SECTION VI. Procedures in Case Material is Released or Spilled</b>	
Collect with vacuum cleaner, sweep up or sprinkle with water and collect in refuse container.	
<b>SECTION VII. Handling and Storage</b>	
Store in containers and indoors. Not to expose to open fire or strong oxidizers. Check for carbon monoxide and oxygen content in air before entering container or workroom. If carbon monoxide is present or oxygen is low use adequate gas masks. Produce less dust in air. Collect all spilled material immediately.	

## SECTION VIII. Limiting Exposure and Personal Protective Measures

INHALATION STANDARDS	Maximum carbon black dust content in air by US standards is 3.5 mg/cu.m, by German standards 6 mg/cu.m, by Russian standards 4 mg/cu.m, by UK standards 3,5 mg/cu.m.
BREATH PROTECTION	Not required in normal conditions. If dust content in air is above recommended limit use protective mask that conforms to European, national, and local regulations.
SKIN PROTECTION	Not required. Use of protective gloves is not necessary.
EYE PROTECTION	Use protective glasses or goggles.
PROTECTIVE CLOTHING	Not required.
TECHNICAL CONTROL	Adequate ventilation is recommended that should keep dust content in air under the standard limit.

## SECTION IX. Physical Data

APPEARANCE	Amorphous solid material in the form of 0.1 to 3.0 mm black-colored pellets.
ODOR	Odorless
BOILING POINT	N/A
VAPOR PRESSURE	N/A
VAPOR DENSITY	N/A
SOLUBILITY IN WATER	Insoluble
RATE OF VAPORIZATION	N/A
SPECIFIC WEIGHT (Water=1)	1.7 to 1.9
POUR DENSITY	150 to 650 (ASTM D1518)
VISCOSITY	N/A

## SECTION X. Stability and Reactivity

STABILITY	Product is stable
INCOMPATIBILITY (MATERIALS TO AVOID):	Strong oxidizers such as liquid oxygen, chlorates, bromates, nitrates.
CONDITIONS TO AVOID	Excessive heating, exposure to open fire.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide and dioxide are produced in combustion.
HAZARDOUS POLYMERIZATION	No polymerization occurs.

## SECTION XI. Toxicological Data

EYE	
ACUTE	Slight irritation
CHRONIC	Slight irritation
SKIN	
ACUTE	Not expected
CHRONIC	Not expected
INGESTION	
ACUTE	Not expected
CHRONIC	Not expected
INHALATION	
ACUTE	Dust in concentrations above TLV may cause transient irritation of upper respiratory tract.
CHRONIC	Research in USSR showed high incidence of respiratory tract diseases, including pneumoconiosis, emphysema, rhinitis. It is to be noticed that dust concentrations were above TLV in that research. On the other hand, ACGIH Committee on TLV classified carbon black as dust that causes inconvenience with no proved pathological or harmful changes of structure or function of lungs. No carcinogenic effect of carbon black on animals or man was established. Research on humans in USA gave no evidence of carbon black dust concentrations equal to or below TLV in workrooms causing respiratory tract diseases.

OTHER Oral LD50 > 10000 mg/kg (rat).

CARCINOGENIC EFFECT The International Agency for Research on Cancer (IARC), the US National Toxicology Program (NTP), the US Occupational Safety and Health Administration (OSHA) do not classify carbon black as carcinogenic material.

## SECTION XII. Ecological Data

No negative effect on environment has been established.

## SECTION XIII. Waste Disposal

Neither in Russia nor in Europe (Directive 78/319/EEC) carbon black is classified as toxic or hazardous waste. Waste may be incinerated or buried, observing all European, national, and local regulations.

## SECTION XIV. Transportation

According to the rules of transportation established by Russian Ministry of Railroad, carbon black is classified as self-igniting hazardous material, Class 4, Subclass 4.2, and is supplied with Emergency Card 47. It may be transported in bulk in special hopper cars or packed in containers. In most European countries and in the USA carbon black is not considered hazardous material and may be shipped by land, sea, or air transport without limitations.

## SECTION XV. Legal Information

### Labeling Requirements

Carbon black, CAS No. 1333-86-4, is included in following inventories :

All-Union Classifier of Industrial and Agricultural Products (Russia);

US Toxic Substances Control Act (TSCA);

European Inventory of Existing Chemical Substances (EINECS - No. 215-609-9);

Canadian Domestic Substances List (DSL);

Australian Inventory of Chemical Substances (AICS);

List of Existing Chemical Substances of Japanese

Ministry of international Trade and Industry (MITI);

Korean Toxic Chemicals Control Law ( TCCL).

Classification according to Russian Standards :

Hazard symbol and labeling-according GOST 19433-88

Classification code 4213

UNO Classification No 1361

Classification according to European Standards :

Symbol and Labeling for Hazard : None

Components of Labeling for Risks : None

R - Clauses : None

S - Clauses : None

## SECTION XVI. Other Information

TEXT ON LABEL : Carbon Black

The preceding data are based on test results that we consider reliable. However, we cannot guarantee them or take responsibility for the consequences of their use. Users are to conduct their own research in order to determine whether the data or products are suitable for their specific applications.

None of the data reported here are to be understood as permission, suggestion, or recommendation for infringement of any laws or application of any inventions protected by patents in force.