

# MATERIAL SAFETY DATA SHEET

## SECTION I - PRODUCT IDENTIFICATION

Supplier:

TECHNICK PRODUCTS, INC.

665 Martin Street

Rahway, NJ 07065

PHONE: (732)388-7755

FACSIMILE: (732)499-8222

**Manufacturer: Fine Organics Ltd. (Certified ISO 9001)**

Chemical name & synonyms: OLEAMIDE

Trade name:

**FINAWAX- OK**

## SECTION II - INGREDIENTS

<u>MATERIAL</u>	<u>CAS#</u>	<u>%</u>	<u>EXPOSURE CRITERIA</u>
Oleamide	301-02-0	98% Min	N/D

Comment [MDH1]:

Comment [MDH2]:

## SECTION III - PHYSICAL DATA

Boiling Point: 760 mm Hg	N / A
Melting point: (ASTM D-127)	68 to 75 C
DENSITY @ 160-F	0.886
Vapor Pressure:	N/A
Vapor density (Air=1)	N/A
Solubility in H <sub>2</sub> O:( % by WT.)	Insoluble
% volatiles by volume:	N / A.
Evaporation rate. _____ =1	N/A
Appearance and Odor:	Fine white powder, Aliphatic.

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash point (COC)	245° C
Flammable limits in air:(% by volume)	N / A
Extinguishing media:	Water fog, Foam, CO <sub>2</sub> , Dry chemical .
Special fire fighting procedures:	Do not use heavy stream of water.
Unusual fire and explosion hazard:	None

# MATERIAL SAFETY DATA SHEET

## FINAWAX - OK

### SECTION V - REACTIVITY DATA

Stability (Normal Conditions): Stable  
Incompatibility (Materials to avoid): Strong oxidizing agents. (Bromine, chromic acid etc.)  
Hazardous decomposition products: Carbon Monoxide, CO<sub>2</sub> from burning.  
Hazardous polymerization: Will not occur.

### SECTION VI - HEALTH HAZARD INFORMATION

Exposure limit: N / D  
Effects of overexposure inhalation: Remove to fresh air.  
Ingestion: Contact a physician immediately.  
Skin or eye contact: Skin: no effect known.  
Eye: mild irritant.  
*Emergency and first aid procedures*  
Inhalation: Expose to fresh air.  
Ingestion: Induce vomiting, consult physician.  
Skin: Wash with mild soap & water.  
Eyes: Flush liberally with water for 15 Min.

### SECTION VII - SPECIAL PROTECTION INFORMATION

Ventilation requirements: Standard local or mechanical to avoid dust.  
Respiratory protection (Specify type): Use NIOSH/OSHA approved dust mask.  
Eye protection: Safety glasses.  
Gloves (Specify type): Plastic or rubber.  
Other protective equipment: Protective apron.

### SECTION VIII - SPILL OR LEAK PROCEDURES

If material is released or spilled: Ordinary procedure are adequate. Melted material can cause thermal burns. Can be burned or landfilled.  
Waste disposal method: Dispose off in accordance with all applicable federal, state and local regulations.

