

## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product Identification

-----  
Product Name: SBR 1006, 1012, 1013, 1502, 8113 CRUMB  
Synonyms: SBR 1006, 1012, 1013, 1502, 8113 CRUMB  
Chemical Name: Styrene/Butadiene Copolymer  
Chemical Family: Synthetic Rubber, Crumb Form  
CAS Number: 9003-55-8

#### Company Identification

-----  
ISP Elastomers, L.P.  
P. O. BOX 667  
1215 MAIN ST  
PORT NECHES, TEXAS 77651 USA  
1-800-962-8324 (For product information)  
409-722-8321 (For emergencies)  
1-800-424-9300 or 1-703-527-3887 (CHEMTREC)

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### COMPONENT LISTING:

Chemical Name	Amount	CAS Number
-----	-----	-----
STYRENE, 1,3-BUTADIENE POLYMER	88.0 - 100.0 %	9003-55-8
CALCIUM CARBONATE	0.0 - 12.0 %	1317-65-3

(See Section 8 for exposure guidelines)

(See Section 15 for regulatory information)

HAZARDS DISCLOSURE

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

As defined under Sara 311 and 312, this product contains no known hazardous materials.

MISCELLANEOUS:

Section 313 Information (40CFR 372) This product does not contain a chemical which is listed in Section 313 at or above 'de minimis' concentrations.

Section 311/312 (40CFR 370) This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

3. HAZARDS IDENTIFICATION

```
***** EMERGENCY OVERVIEW *****
*
* Nuisance Particulate. May cause skin, eye, or
* respiratory tract irritation.
*
*****
```

HMIS Rating:

Health - 2, Flammability - 1, Reactivity - 0  
Personal Protection Index - B Safety Glasses & Gloves Recommended

NFPA Rating:

Health - 2, Flammability - 1, Reactivity - 0  
Special Hazards - N/A

NFPA/HMIS Definitions: (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme). These values are obtained using the guidelines or published evaluations prepared by the National Fire Protection Association (NFPA) or the National Paint and Coating Association (for HMIS ratings).

POTENTIAL HEALTH EFFECTS

EYE:

This is a granular product. Dust may be irritating to the eye.

SKIN:

Substance may cause slight skin irritation.

**INHALATION:**

Dust may be slightly irritating to eyes and respiratory tract. Prolonged or excessive inhalation may cause coughing or sneezing.

**INGESTION:**

Ingestion is not considered a potential route of exposure.

**CARCINOGENICITY INFORMATION:**

No known cancer hazards.

**4. FIRST AID MEASURES**

**EYE CONTACT FIRST AID:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.

**SKIN CONTACT FIRST AID:**

Wash skin with soap and water.

**INHALATION FIRST AID:**

If exposed to excessive levels of fumes, remove to fresh air.

**INGESTION FIRST AID:**

Ingestion is not considered a potential route of exposure.

**5. FIRE FIGHTING MEASURES**

**FLAMMABLE PROPERTIES**

COC Flash Point: N/A

Autoignition Temperature: N/A

**FLAMMABLE LIMITS IN AIR**

LEL: N/A

UEL: N/A

**EXTINGUISHING MEDIA:**

Use extinguishing media appropriate for the surrounding fire. SBR Polymers would be considered 'ordinary combustibles' (NFPA defined Class A). Carbon dioxide is not generally recommended for use on Class A fires as a lack of cooling capacity may result in re-ignition.

**FIRE & EXPLOSION HAZARDS:**

Will burn if involved in a fire. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**FIRE FIGHTING INSTRUCTIONS:**

Avoid breathing smoke, fumes, and decomposition products. As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**SAFEGUARDS (PERSONNEL):**

If excessive dust is created, wear dust mask or respirator to keep exposure below the Permissible Exposure Level for particulate matter.

**INITIAL CONTAINMENT:**

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

**LARGE SPILLS PROCEDURE:**

Wear a self-contained breathing apparatus and appropriate personal protection (See Exposure Controls, Personal Protection section). The very fine particles can cause a fire or explosion, eliminate all ignition sources.

**SMALL SPILLS PROCEDURE:**

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

---

**7. HANDLING AND STORAGE**

**RECOMMENDED STORAGE TEMPERATURE**

Minimum: 0 C (32.0 F)  
Maximum: 60.0 C (140.0 F)

**SHELF LIFE: (in original, sealed containers)**

12 months @ 0 C  
6 months @ 60.0 C

**HANDLING (PERSONNEL):**

Use with adequate ventilation. Minimize dust generation and accumulation. Wash hands thoroughly after handling.

**HANDLING (PHYSICAL ASPECTS):**

Avoid extreme temperatures. Store in a cool place in original container and protect from sunlight.

**STORAGE PRECAUTIONS:**

Avoid extreme temperatures. Store in a cool place in original container and protect from sunlight.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**ENGINEERING CONTROLS:**

If user operations generate dust, fume, or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Use local exhaust ventilation with a minimum capture velocity of 100 ft/min (0.5 m/sec) at the point of vapor evolution. Refer to the current edition of 'Industrial Ventilation: A Manual of Recommended Practice,' published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

**EYE / FACE PROTECTION REQUIREMENTS:**

Where contact with this material is likely, eye protection is recommended.

**SKIN PROTECTION REQUIREMENTS:**

For brief contact, normal work attire should be sufficient. Wash hands thoroughly after handling.

**RESPIRATORY PROTECTION REQUIREMENTS:**

If airborne concentrations exceed the OSHA TWA, a NIOSH approved dust mask is recommended.

**EXPOSURE GUIDELINES:**

No Information Available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM .....: Crumb  
COLOR .....: White  
ODOR .....: Characteristic  
BOILING POINT .....: NA C  
VAPOR PRESSURE .....: NA mm Hg @ 20 C  
VAPOR DENSITY .....: NA (Air = 1)  
SOLUBILITY IN WATER .....: Insoluble in water, soluble in petroleum  
distillates  
SPECIFIC GRAVITY .....: 0.91 - 0.96 (Water = 1)  
BULK DENSITY .....: NA  
MELTING/FREEZING POINT ....: NA C  
PH .....: NA  
% VOLATILES .....: 1.00 max, as water, % @ 100 C @ 760 mm Hg

## 10. STABILITY AND REACTIVITY

STABILITY:  
Stable.

POLYMERIZATION:  
Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS:  
There are no known materials which are incompatible with this product.

DECOMPOSITION:  
Decomposition will not occur if handled and stored properly. Avoid  
temperatures above 177C/350F, the onset of polymer decomposition.

## 11. TOXICOLOGICAL INFORMATION

MISCELLANEOUS:  
There is no toxicology information on this material, however, the  
components possess irritancy potential.

The concentration of unreacted 1,3-butadiene is typically 1 ppm, maximum.

Material contains FDA compliant stabilizer system.

12. ECOLOGICAL INFORMATION

No information available.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

14. TRANSPORTATION INFORMATION

PRODUCT LABEL .....: SBR 1006, 1012, 1013, 8113 CRUMB  
D.O.T. SHIPPING NAME .....: Crude Synthetic Rubber  
TECHNICAL SHIPPING NAME ....: N/A  
D.O.T. HAZARD CLASS .....: Non-Hazardous  
UN NUMBER .....: N/A  
PRODUCT RQ (LBS) .....: N/A  
D.O.T. LABEL .....: Non Hazardous  
D.O.T. PLACARD .....: N/A  
BULK CLASS .....: N/A  
PACKAGE CLASS .....: N/A

15. REGULATORY INFORMATION

MISCELLANEOUS INFORMATION:

~~This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA). Not defined or designated as hazardous under Resource Conservation and Recovery Act (RCRA) 40 CFR261. The Toxicity Characteristic Leachate Procedure (TCLP) constituents are below reportable limits.~~

This material is not a 'controlled product' under the Canadian Workplace Hazardous Materials Information System (WHMIS). This material or all of its components are listed on the Canadian Domestic Substances List (DSL).

This material or all of its components are listed (or considered as having been notified) on the European Inventory of Existing Chemical Substances (EINECS).

WHMIS Hazard Symbols:  
None

EEC Symbols and Indications of Danger:  
None

R-Phrases:  
R36/37/38 - Irritating to eyes, respiratory system and skin.

S-Phrases:  
S36/37/39 - Wear suitable protective clothing, gloves and eye / face protection.

16. OTHER INFORMATION

REASON FOR ISSUE ...: Delete Product  
PREPARED BY .....: Joan M. Kord  
APPROVED BY .....: Dale Smith  
TITLE .....: Technical Manager  
APPROVAL DATE .....: May 15, 2008  
SUPERCEDES DATE ....: August 25, 2006  
RTN NUMBER .....: 00000030 (Official Copy)

ADDITIONAL INFORMATION:  
The data in this Material Safety Data Sheet relates only to the specific material designated herein.

\*\*\*\*\*  
This information is furnished without warranty, expressed or implied,  
except that it is accurate to the best knowledge of ISP Elastomers, L.P.  
The data on this sheet are related only to the specific material  
designated herein. ISP Elastomers, L.P. assumes no legal responsibility  
for use or reliance upon these data.

\*\*\*\*\*  
END OF MSDS  
\*\*\*\*\*