

**Naftocit DPTU**

Version: 2 . 18.12.2002

Print Date 25.03.2003

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**

English

**Product information**

Trade name	Naftocit DPTU
Company:	Chemetall GmbH Trakehner Strasse 3 60487 Frankfurt a.M.
Lead Organisation:	Division Accelerators
Telephone:	+49(0)69 7165-0
Telefax:	+49(0)69 7165-3018
Emergency telephone number:	+49(0)5326 51-0
Contact person:	

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS-No.:	102-08-9 1,3-diphenyl-2-thiourea
EINECS-No.:	203-004-2
ELINCS-No.:	

**3. HAZARDS IDENTIFICATION****Risk advice to man and the environment****Indication of danger:** Xi Irritant

R43 May cause sensitization by skin contact.

**4. FIRST AID MEASURES****General advice:**

Take off contaminated clothing and shoes immediately.

**Eye contact:**

Rinse immediately with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

**Skin contact:**

Wash off with soap and plenty of water. If symptoms persist, call a physician.

**Inhalation:**

Move to fresh air. If symptoms persist, call a physician.

**Ingestion:**

If swallowed, seek medical advice immediately and show this container or label.

**5. FIRE-FIGHTING MEASURES****Specific hazards during fire fighting:**

**Naftocit DPTU**

Version: 2 . 18.12.2002

Print Date 25.03.2003

May form toxic gases on heating or in case of fire. nitrogen oxides (NOx) sulphur oxides

**Special protective equipment for fire-fighters:**

In the event of fire, wear self-contained breathing apparatus.

**Suitable extinguishing media:**

carbon dioxide (CO<sub>2</sub>), dry powder, alcohol-resistant foam, water spray

**Extinguishing media which must not be used for safety reasons:**

high volume water jet

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

Ensure adequate ventilation.

**Environmental precautions:**

Do not flush into surface water or sanitary sewer system.

**Methods for cleaning up:**

Take up mechanically and collect in suitable container for disposal.

**7. HANDLING AND STORAGE**

**Handling**

**Safe handling advice:**

Provide sufficient air exchange and/or exhaust in work rooms.

**Advice on protection against fire and explosion:**

Take precautionary measures against static discharges. Take precautions against dust explosion. Keep away from sources of ignition. - No smoking.

**Storage**

**Requirements for storage areas and containers:**

Keep containers tightly closed in a dry, cool and well-ventilated place.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Personal protective equipment**

**Respiratory protection:**

Dust mask recommended. Half mask with a particle filter P2 (BS EN 143).

**Hand protection:**

protective gloves, rubber gloves

**Eye protection:**

safety glasses

**Skin and body protection:**

lightweight protective clothing

**Hygiene measures:**

Take off contaminated clothing and shoes immediately. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Avoid contact with skin and eyes. Do not breathe dust.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance**

**Naftocit DPTU**

Version: 2 . 18.12.2002

Print Date 25.03.2003

Form: powder  
Colour: white  
Odour: odourless

**Change in physical state**

Melting point/range: 150 - 155 °C

Density: 1.3 g/cm<sup>3</sup>  
at 20 °C

Bulk density: 350 kg/m<sup>3</sup>  
at: 20 °C

Solubility/qualitative: completely soluble  
Aceton, Alkohol

Water solubility: insoluble

Partition coefficient (n-octanol/water): log Pow: 2.01

**10. STABILITY AND REACTIVITY****Conditions to avoid**

Protect from humidity.

**Materials to avoid**

strong acids and oxidizing agents

**Hazardous decomposition products**

Toxic gases / vapours, nitrogen oxides (NO<sub>x</sub>), sulphur oxides, carbon dioxide (CO<sub>2</sub>)

**Note:**

No decomposition if stored and applied as directed., To avoid thermal decomposition, do not overheat.

**11. TOXICOLOGICAL INFORMATION****Acute oral toxicity:**

LD50 rat  
Dose: > 2,000 mg/kg

**Acute dermal toxicity:**

LD50 rabbit  
Dose: > 7,940 mg/kg

**Skin irritation:**

Irritating to skin.

**Eye irritation:**

Irritating to eyes.

**Sensitization:**

May cause sensitization of susceptible persons by skin contact.

**Naftocit DPTU**

Version: 2 . 18.12.2002

Print Date 25.03.2003

**12. ECOLOGICAL INFORMATION**

**Elimination information (persistence and degradability)**

**Toxicity to fish:**

LC50

Dose: > 500 mg/l

Testing period: 96 h

**Toxicity to daphnia:**

EC50 Daphnia

Dose: 67 mg/l

Testing period: 48 h

**Further information:**

water endangering

**Further information:**

Do not flush into surface water or sanitary sewer system.

**Further information:**

Harmful to aquatic organisms.

**13. DISPOSAL CONSIDERATIONS**

**Waste key for the unused product:**

070108 other still bottoms and reaction residues

**Product:**

Dispose of in accordance with local regulations.

**Contaminated packaging:**

Dispose of as unused product.

**14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

**Naftocit DPTU**

Version: 2 . 18.12.2002

Print Date 25.03.2003

**15. REGULATORY INFORMATION**

Labelling:	Xi	Irritant
R-phrases):	R43	May cause sensitization by skin contact.
S-phrases):	S24 S36/37	Avoid contact with the skin. Wear suitable protective clothing and gloves.

**National legislation**

**Water contaminating class (Germany):**

WGK 2 : water endangering  
VwVwS 17.05.99

**16. OTHER INFORMATION**

**R43** May cause sensitization by skin contact.

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.