

# SAFETY DATA SHEET

Issue Date 19-Aug-2014 Revision Date 22-Apr-2016 Version 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name CSL-30PE

Other means of identification

**SDS Code** 030305

Recommended use of the chemical and restrictions on use

Recommended Use Processing aids. Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressCrystal Inc. - PMCCrystal Inc. - PMC601 W 8th St601 W 8th StLansdale, PA 19446Lansdale, PA 19446

USA USA

Emergency telephone number

Company Phone Number Crystal, Inc. - PMC Customer Service: 215-368-1661

Crystal, Inc. - PMC Customer Service: 1-800-525-3842

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 Emergency Telephone Chemtrec [INT]: +1-703-527-3887

# 2. HAZARDS IDENTIFICATION

#### Classification

# **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### Label elements

#### **Emergency Overview**

#### Hazard statements

Handle in accordance with good industrial hygiene and safety practice

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance flakes, pellets Physical state Solid Odor Slight

# Hazards not otherwise classified (HNOC)

Dust can form an explosive mixture with air

Other Information

May be harmful in contact with skin.

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

030305 : CSL-30PE

Chemical nature Preparation.

Chemical Name	CAS No	Weight-%	Trade Secret
Hydrotreated paraffin wax (petroleum)	64742-51-4	>98	*
Polyethylene	9002-88-4	<2	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

Molten product can cause thermal burns. Rinse immediately with plenty of water, also Eye contact

under the eyelids, for at least 15 minutes. (Call a physician if irritation persists).

**Skin Contact** Molten product can cause thermal burns. In case of burns, immediately cool affected skin

for as long as possible with cold water. Wash off immediately with plenty of water for at

least 15 minutes. (Get medical attention immediately if symptoms occur).

Remove to fresh air. (Get medical attention immediately if symptoms occur). Inhalation

Molten product can cause thermal burns. Clean mouth with water and drink afterwards Ingestion

plenty of water. (Get medical attention immediately if symptoms occur).

Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Dry chemical, ABC-powder

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire. Do not use straight

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid creating dust. Ensure adequate ventilation, especially in confined areas. Dust can

form an explosive mixture with air.

030305 : CSL-30PE

**Environmental precautions** 

See section 12 for additional ecological information. The product is insoluble and floats on **Environmental precautions** 

water. Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on

the ground or into any body of water. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for cleaning up Use personal protective equipment as required. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Avoid creating

dust. Where possible allow molten material to solidify naturally.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure limits are listed below, if they exist. **Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	PMC OEL
Dust	TWA: 10 mg/m <sup>3</sup> lnhl	TWA: 5 mg/m <sup>3</sup> Resp	-	-
DUST	TWA: 3 mg/m³ Resp	TWA: 15 mg/m³ Total		
		29CFR1910.1000		
Wax Fume	2 mg/m³ Inhl TLV	2 mg/m <sup>3</sup>	-	-
WAX				

#### **Appropriate engineering controls**

**Engineering Controls** Showers, Eyewash stations, Ventilation systems.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Heat resistant gloves are recommended when handling molten materials. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Avoid contact with skin, eyes or clothing. Avoid breathing (dust, vapor, mist, gas). Wash

face, hands and any exposed skin thoroughly after handling. Use personal protective

equipment as required.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

**Appearance** flakes, pellets Odor

Color white to light brown Odor threshold No information available

Cleveland Open Cup, ASTM D92

negligible

**Property** Values Remarks • Method

pН No information available 54-74 °C / 130-165 °F Melting point / freezing point > 370 °C / 698 °F Boiling point / boiling range Flash point > 210 °C / > 410 °F **Evaporation rate** No information available

Flammability (solid, gas) No information available Flammability Limit in Air

**Upper flammability limit:** No information available Lower flammability limit: No information available Vapor pressure No information available

Vapor density > 10

**Specific Gravity** No information available Water solubility Insoluble in water Solubility in other solvents No information available Partition coefficient No information available

**Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available Dynamic viscosity No information available No information available **Explosive properties Oxidizing properties** No information available

Other Information

030305 : CSL-30PE

Softening point No information available Molecular weight No information available

**VOC Content (%)** O

0.91g/cm3 @ 25C **Density** No information available **Bulk density** 

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No information available.

# **Chemical stability**

Stable.

# **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

Avoid creating dust. Dust can form an explosive mixture with air. Extremes of temperature and direct sunlight.

# **Incompatible materials**

Strong oxidizing agents.

# **Hazardous Decomposition Products**

Carbon dioxide (CO2), Carbon monoxide, Hydrocarbons.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Vapors may be irritating to eyes, nose, throat, and lungs. Inhalation of dust in high

concentration may cause irritation of respiratory system.

Dust contact with the eyes can lead to mechanical irritation. Molten product can cause Eye contact

thermal burns.

030305 : CSL-30PE

**Skin Contact** Molten product can cause thermal burns.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated paraffin wax	= 10000 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	
(petroleum)		= 5000 mg/kg (Rat)	
Polyethylene	>6400 mg/kg (Rat)	> 2000 mg/kg	
	>2000 mg/kg/bw (Rat)		

#### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Chemical Name	ACGIH	IARC	NTP	OSHA
Polyethylene		Group 3		
9002-88-4		· ·		

Reproductive toxicity No information available. STOT - single exposure No information available STOT - repeated exposure No information available. **Aspiration hazard** No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 9944 mg/kg **ATEmix (dermal)** 3571 mg/kg

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

100 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

# Bioaccumulation

No information available.

No information available Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes** 

regulations.

Do not reuse container. Disposal should be in accordance with applicable regional, national Contaminated packaging

and local laws and regulations.

030305 : CSL-30PE

#### 14. TRANSPORT INFORMATION

DOT Not regulated

Not regulated TDG

Not regulated. IATA

**IMDG** Not regulated

### 15. REGULATORY INFORMATION

# All of the components in the product are on the following Inventory lists

The classification and labeling information in this Safety Data Sheet should be viewed as provisional.

#### **International Inventories**

**EINECS/ELINCS** Complies or Exempt

**TSCA** Complies **AICS** Complies Complies **DSL/NDSL** Complies **ENCS KECL** Complies **PICCS** Complies **IECSC** Complies **NZIoC** Complies Complies **TCSI** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

# **US Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). Any Substance regulated Title 40 of the Code of Federal Regulations, Part 372 is listed below, if it exists.

# SARA 311/312 Hazard Categories

Acute health hazard No **Chronic Health Hazard** No Fire hazard Nο Sudden release of pressure hazard Nο **Reactive Hazard** No

### **CWA (Clean Water Act)**

Any Substance regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) is listed below, if it exists.

Any Substance regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) is listed below, if it exists.

030305 : CSL-30PE

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

# U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

#### 16. OTHER INFORMATION

Instability 0 **NFPA** Health hazards 1 Flammability 1 **Physical and Chemical** 

Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

PMC Group **Prepared By** Issue Date 19-Aug-2014 **Revision Date** 22-Apr-2016

**Revision Note** 

(M)SDS sections updated 4 11

This material safety data sheet complies with the requirements of 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

# **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**