

# Safety Data Sheet (SDS)

Revision / Review Date: 1/5/16

#### 1. Chemical Product and Company Identification

Product Name: VULCANOL XL Distributed By: HB Chemical

1665 Enterprise Parkway Twinsburg Oh 44087 Phone - 330-920-8023

SDS Prepared By (w Suppliers Input): HB Chemical

Chemical Name / Family:

Product Use:

OSHA Status:

CAS No:

Vulcanized vegetable oil

Synthetic Polymers

Non hazardous

68153-36-6

For emergency health, safety, and environmental information, calls 330-920-8023

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300

#### 2. Hazard(s) Identification

OSHA: Is not considered Hazardous.

Signs and Symptoms of Exposure: The product, in the form supplied, is not anticipated to produce

significant adverse human health effects.

Emergency Overview: A rubbery crumb/lump material ranging from dark brown to

white. Darker colored grades have a strong sulfur odor while light grades have a milder, chalky odor. Prolonged exposure is not considered toxic or expected to cause any significant health

hazard. Carcinogenicity: Not listed by NTP, IARC or OSHA.

Primary Routes of Entry: Skin contact and inhalation.

<u>Medical Conditions Generally Aggravated by Exposure:</u> May aggravate existing eye, skin or respiratory conditions.

Eye Contact: Non-irritating.

Skin Contact: Non-irritating.

Ingestion: No more than slightly toxic.

<u>Inhalation:</u> Non-irritating

HMIS Hazard Ratings: Health- 0, Flammability - 1, Reactivity - 0

<u>HMIS limitation statement:</u> The HMIS hazard ratings numbers are meant to give a quick

indication of the relative hazards associated with the product.

3. Composition / Information on Ingredients

Weight Percent / Typical Component Identity CAS Registry Number

100% Vulcanized Vegetable Oil 68153-36-6

4. First Aid Measures

<u>Inhalation:</u> If symptoms develop, move victim away from exposure and into

fresh air. Administer oxygen if breathing is difficult.

Eyes: Flush eyes with copious quantities of water while holding

eyelids open. If symptoms persist or if there is any visual

difficulty, consult physician.

<u>Skin:</u> In case of contact, immediately flush skin with plenty of water.

Remove material from clothing. Wash clothing before reuse.

Thoroughly clean shoes before reuse

<u>Ingestion:</u> Do not induce vomiting. Seek medical attention. If individual is

drowsy, do not give anything by mouth.

5. Fire-Fighting Measures

<u>Suitable Extinguishing Media</u>: Dry Chemical, Carbon Dioxide CO2, Foam

<u>Unsuitable Extinguishing media:</u> Water

<u>Special Fire Fighting Procedures:</u> Fire fighters and others who may be exposed to products of

combustion should wear full firefighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure

demand / NIOSH approved or equivalent). Firefighting equipment should be thoroughly decontaminated after use.

Hazardous Combustion Products: Sulfur oxides, Carbon oxides, hydrogen sulfide, Hazardous

organic compounds.

**6. Accidental Release Measures** 

Steps to be taken in case material is spilled: Prevent further leakage or spillage if you can do so without risk.

Ventilate the area. Avoid generation of vapors. Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed

in pertinent environmental permits.

<u>Environmental Disposal Information:</u> Keep away from waterways.

<u>Waste Disposal:</u> Reclaim or dispose of in accordance with local, state, and

federal regulations.

7. Handling and Storage:

Precautions to be taken in handling: Handle in accordance with good industrial hygiene and safety

practices. These practices include avoiding unnecessary

exposure and removal of material from eyes, skin, and clothing.

Storage: Keep in a dry, cool place. Store out of direct sunlight in a cool

well-ventilated place. Store in original container. Don't store above 104 °F (40 °C). Incompatible materials are strong

oxidizing agents.

8. Exposure Controls / Personal Protection

Engineering controls: Investigate engineering techniques to reduce exposures below

airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits (if applicable see above). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process

equipment.

Respiratory Protection: NIOSH approved organic vapor respirator in accordance with

29 CFR 1910.134 if recommended PEL is exceeded.

Ventilation: Use local exhaust ventilation.

<u>Hand Protection:</u> Rubber, Neoprene if splashing is a problem.

<u>Eye Protection:</u> Use good industrial practice to avoid eye contact.

Skin and Body Protection: Minimize skin contamination by following good industrial

hygiene practice. Wearing protective gloves is recommended.

Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical Form: Solid

Appearance & Odor: Soft white crumbs to dark brown crumbs/lumps

<u>Specific Gravity:</u> @ 77 deg. F (25 deg. C): 1.00 - 1.30

Softening Point, R&B: Not available

Density: Not available

Solubility in Water: Negligible

Flash Point, TAG CC F: Not available

Percent Volatiles (by weight):

Not available

Evaporation Rate (Water ~ I): Not available

<u>Vapor Pressure (mm Hg):</u> Not available

Vapor Density (Air ~ I): Not available

Boiling Point (°F) Initial: Not available

Auto ignition Temperature, °C: Not available

Flammable Limits, %(V): Not available

Viscosity, kinematic: Not available

10. Stability and Reactivity

Stability: This product is stable under normal conditions.

Incompatibility (Materials to Avoid): Strong oxidizing agents

Conditions to Avoid: Heat.

<u>Hazardous Polymerization:</u> Hazardous polymerization will not occur.

Hazardous decomposition products: Sulfur oxides, Carbon oxides, hydrogen sulfide, Hazardous

organic compounds.

### 11. Toxicological Information

This material is not listed as a carcinogen or potential carcinogen by NTP, IARC, or OSHA.

### 12. Ecological Information

This material has not been evaluated for environmental effects.

# 13. Disposal Considerations

This product has the same characteristics as rubber and is not considered a disposal hazard. It has long term potential to biodegrade. Dispose of in accordance with applicable federal, state and local regulations.

**14. Transport Information** 

<u>D.O.T. Shipping Name:</u> Not regulated.

<u>Air - ICAO (international Civil Aviation Organization):</u> Not regulated.

<u>Sea - IMDG (International Maritime Dangerous Goods):</u> Not regulated.

15. Regulatory Information

<u>TSCA</u>: All components of this product are listed in the TSCA inventory

of Chemicals Substances.

<u>DSL (Canada):</u> All components listed

IDL (Canada): None.

SARA Title III 311/312: Not listed.

SARA Title III 313: None

CERCLA RQ: Not applicable.

## 16. Other Information

The above information has been compiled from what we believe to be credible sources. To our knowledge the information is accurate and reliable, however, it is not guaranteed. Any recommendations issued by HB Chemical personnel or literature is derived from experience and by no means should be taken as fact or construed as a recommendation to violate of any law, regulation or patent. It is the users responsibility to determine the suitability of any HB supplied material in their application. The individual conditions of each customer are well outside of our control and we cannot be held liable for its functionality and use. Please contact our office should you need specific information beyond what is supplied above. As with all Chemical usage safety precautions beyond the stated are highly recommended.