



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version 4.0      Revision Date: 07/01/2025      SDS Number: 300000000419      Date of last issue: 05/14/2025  
Date of first issue: 05/15/2023

---

### SECTION 1. IDENTIFICATION

Product name : NOVARES TT100  
Product code : 140401MW  
Substance name : Distillates (petroleum), steam-cracked, polymerized  
  
CAS-No. : 68131-77-1

#### Manufacturer or supplier's details

Company name of supplier : Rain Carbon Germany GmbH  
Address : Varziner Straße 49  
Duisburg 47138  
Germany

[www.raincarbon.com](http://www.raincarbon.com)

[resins@raincarbon.com](mailto:resins@raincarbon.com)  
[www.novares.de](http://www.novares.de)

Telephone : +49203429602  
E-mail address : [sds@raincarbon.com](mailto:sds@raincarbon.com)

Emergency telephone : Emergency - Telephone - Number INTERNATIONAL (24-hour):  
GBK GmbH, Ingelheim: +49 (0)61 32 / 84 463 (in national language)

DURING THE TRANSPORT ONLY:  
24-hour-Emergency-Telephone-Number  
GBK/INFOTRAC ID: 94482  
(001) 352 323 3500 (International)  
1 800 535 5053 (USA and Canada domestic)

In other cases: contact the manufacturer / supplier

#### Recommended use of the chemical and restrictions on use

Recommended use : Raw material for industry  
Adhesives and/or sealants

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version 4.0      Revision Date: 07/01/2025      SDS Number: 300000000419      Date of last issue: 05/14/2025  
 Date of first issue: 05/15/2023

### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
 Chemical nature : Polymer  
 Substance name : Distillates (petroleum), steam-cracked, polymerized  
 CAS-No. : 68131-77-1

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), steam-cracked, polymd.	68131-77-1	100

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES

General advice : Remove victim from exposure and then have him lie down in the recovery position.

If inhaled : Give oxygen.  
 If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.

In case of skin contact : In case of skin contact  
 Wash off with soap and water.  
 If symptoms persist, call a physician.

In case of eye contact : In case of eye contact  
 Rinse with water.  
 If eye irritation persists, consult a specialist.

If swallowed : If swallowed  
 Rinse mouth with water.  
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically.  
 For specialist advice physicians should contact the Poisons Information Service.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Water spray in large fire situations  
Foam
- Unsuitable extinguishing media : Water spray jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Carbon monoxide
- Specific extinguishing methods : Cool containers/tanks with water spray.
- Further information : In the event of fire and/or explosion do not breathe fumes.  
  
Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear respiratory protection.  
Immediately evacuate personnel to safe areas.  
Refer to protective measures listed in sections 7 and 8.  
Avoid dust formation.  
For disposal considerations see section 13.
  - Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
  - Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.
- Ensure adequate ventilation.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

### SECTION 7. HANDLING AND STORAGE

- |   |   |  |
|---|---|--|
| Technical measures                              | : | Install appropriate equipment and wear appropriate personal protective equipment (see "8. Exposure control/personal protection").  |
| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed.  |
| Advice on safe handling                         | : | Use only with adequate ventilation/personal protection. Smoking, eating and drinking should be prohibited in the application area.<br>For personal protection see section 8. |
| Conditions for safe storage                     | : | Keep in a well-ventilated place.<br>Keep tightly closed.<br>Electrical installations / working materials must comply with the technological safety standards.                |
| Further information on storage conditions       | : | Keep locked up or in an area accessible only to qualified or authorized persons.   |
| Materials to avoid                              | : | Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.   |
| Further information on storage stability        | : | No decomposition if stored and applied as directed.  |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

- |                                      |  |
|--------------------------------------|--|
| inert or nuisance dust               | 50 Million particles per cubic foot                      |
|                                      | Value type (Form of exposure): TWA (total dust)          |
|                                      | Basis: OSHA Z-3  |
|                                      | 15 mg/m <sup>3</sup>                                     |
|                                      | Value type (Form of exposure): TWA (total dust)          |
|                                      | Basis: OSHA Z-3  |
|                                      | 5 mg/m <sup>3</sup>                                      |
|                                      | Value type (Form of exposure): TWA (respirable fraction) |
|                                      | Basis: OSHA Z-3  |
|                                      | 15 Million particles per cubic foot                      |
|                                      | Value type (Form of exposure): TWA (respirable fraction) |
|                                      | Basis: OSHA Z-3  |
| Dust, nuisance dust and particulates | 10 mg/m <sup>3</sup>                                     |
|                                      | Value type (Form of exposure): PEL (Total dust)          |



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

Basis: CAL PEL

5 mg/m<sup>3</sup>

Value type (Form of exposure): PEL (respirable dust fraction)

Basis: CAL PEL

This product is delivered as granules or pellets. Nevertheless, dust particles (e.g., powder, nano particles, crystalline powder, fine powder) may be released unintentionally due to friction and additional mechanical influences during unloading, repackaging, and transport.

Where applicable, country-specific general dust occupational exposure limit values should be taken into account for individual risk assessment by customers and/or downstream users.

Contains no substances with occupational exposure limit values.

**Engineering measures** : Exhaust ventilation equipped with filters.

**Personal protective equipment**

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.  
Respirator with a particle filter (EN 143)  
Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

Material : Nitrile rubber  
Break through time : 240 - 480 min  
Glove thickness : >= 0.425 mm

Material : butyl-rubber  
Break through time : 240 - 480 min  
Glove thickness : >= 0.7 mm

Remarks : Heat protection gloves (EN 407) Equipment should conform to EN 374 Protective gloves Follow the instructions for use issued by the producer.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Eye protection : Safety glasses with side-shields conforming to EN166

Skin and body protection : Equipment should conform to EN 13982

Protective suit

Recommended preventive skin protection

Use protective skin cream before handling the product.

Remove and wash contaminated clothing before re-use.

Protective measures : Wear full protective clothing and self-contained breathing apparatus.

Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Hygiene measures : General industrial hygiene practice.

Wash face, hands and any exposed skin thoroughly after handling.

Remove all contaminated clothing under the shower.



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Color	:	light yellow, brown
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	No data available
Softening point / range	:	113 - 347 °F / 45 - 175 °C Method: ASTM D 3461
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 302 °F / > 150 °C  Method: EN ISO 2719
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	Product is not self-igniting
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	< 0.01 hPa (68 °F / 20 °C)
Relative vapor density	:	No data available
Density	:	1.05 - 1.11 g/cm <sup>3</sup> (68 °F / 20 °C) Method: DIN 52004
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	> 842 °F / > 450 °C Method: DIN 51794



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

Decomposition temperature : > 482 °F / > 250 °C

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive May form explosive dust-air mixture during processing, handling or other means.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Molecular weight : Not applicable

Particle characteristics  
Particle size : No data available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Exposure to moisture.  
Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : Carbon dioxide (CO<sub>2</sub>)  
Carbon oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

Not classified due to lack of data.

##### Components:

##### Distillates (petroleum), steam-cracked, polyimd.:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Analogy to structure-related substances.

##### Skin corrosion/irritation

Not classified due to lack of data.

##### Product:

Remarks : Based on available data, the classification criteria are not met.



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

---

#### Components:

##### **Distillates (petroleum), steam-cracked, polymd.:**

Remarks : Based on available data, the classification criteria are not met.

##### **Serious eye damage/eye irritation**

Not classified due to lack of data.

#### Product:

Remarks : Based on available data, the classification criteria are not met.

#### Components:

##### **Distillates (petroleum), steam-cracked, polymd.:**

Remarks : Based on available data, the classification criteria are not met.

##### **Respiratory or skin sensitization**

##### **Skin sensitization**

Not classified due to lack of data.

##### **Respiratory sensitization**

Not classified due to lack of data.

#### Product:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

#### Components:

##### **Distillates (petroleum), steam-cracked, polymd.:**

Remarks : Based on available data, the classification criteria are not met.

##### **Germ cell mutagenicity**

Not classified due to lack of data.

##### **Carcinogenicity**

Not classified due to lack of data.

#### Components:

##### **Distillates (petroleum), steam-cracked, polymd.:**

Remarks : Based on available data, the classification criteria are not met.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

---

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### **Components:**

##### **Distillates (petroleum), steam-cracked, polyimd.:**

Effects on fertility : Remarks: Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Not classified due to lack of data.

#### **Components:**

##### **Distillates (petroleum), steam-cracked, polyimd.:**

Remarks : Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Not classified due to lack of data.

#### **Components:**

##### **Distillates (petroleum), steam-cracked, polyimd.:**

Remarks : Based on available data, the classification criteria are not met.

#### **Aspiration toxicity**

Not classified due to lack of data.

#### **Product:**

Not classified due to data which are conclusive although insufficient for classification.

#### **Further information**

#### **Product:**

Remarks : No data available



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

#### SECTION 12. ECOLOGICAL INFORMATION

##### Ecotoxicity

###### Product:

###### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

###### Components:

###### Distillates (petroleum), steam-cracked, polymd.:

Toxicity to fish : LC50 (Fish): Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: nenhuma toxicidade a 10 g/L  
Analogy to structure-related substances.

##### Persistence and degradability

###### Product:

Biodegradability : Result: Not biodegradable

###### Components:

###### Distillates (petroleum), steam-cracked, polymd.:

Biodegradability : Result: Not biodegradable

##### Bioaccumulative potential

###### Product:

Bioaccumulation : Remarks: The product may be accumulated in organisms.

###### Components:

###### Distillates (petroleum), steam-cracked, polymd.:

Bioaccumulation : Remarks: Does not significantly accumulate in organisms.

##### Mobility in soil

###### Product:

Distribution among environmental compartments : Remarks: immobile



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

#### Components:

##### **Distillates (petroleum), steam-cracked, polymd.:**

Distribution among environmental compartments : Medium: Soil  
Remarks: immobile

#### **Other adverse effects**

#### Product:

Environmental fate and pathways : Remarks: Groundwater contamination is possible.  
Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).  
Additional ecological information : Information given is based on data on the ingredients and the ecotoxicology of similar products.

#### Components:

##### **Distillates (petroleum), steam-cracked, polymd.:**

Results of PBT and vPvB assessment : Remarks: Not applicable  
Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

### SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

Not regulated as a dangerous good

##### **IATA-DGR**



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Naphthalene	91-20-3	>= 0 - < 0.1 %
-------------	---------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

Naphthalene 91-20-3 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

Distillates (petroleum), steam-cracked, polymd. 68131-77-1

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including Naphthalene, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### The ingredients of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## NOVARES TT100

Version 4.0      Revision Date: 07/01/2025      SDS Number: 300000000419      Date of last issue: 05/14/2025  
 Date of first issue: 05/15/2023

### TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	0
FLAMMABILITY	1	
PHYSICAL HAZARD	0	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

- CAL PEL : California permissible exposure limits for chemical contaminants (Title 8, Article 107)
- CAL PEL / PEL : Permissible exposure limit
- OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC



## SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

### NOVARES TT100

Version	Revision Date:	SDS Number:	Date of last issue: 05/14/2025
4.0	07/01/2025	300000000419	Date of first issue: 05/15/2023

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

none

Sources of key data used to compile the Material Safety Data Sheet : Information taken from reference works and the literature., Information derived from practical experience., ECHA (European Chemicals Agency) - <https://echa.europa.eu/home>

Revision Date : 07/01/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8